

| Q.No. | Type | Section | Key/Range | Marks |
|-------|------|---------|--------------|-------|
| 1 | MCQ | GA | A | 1 |
| 2 | MCQ | GA | C | 1 |
| 3 | MCQ | GA | B | 1 |
| 4 | MCQ | GA | B | 1 |
| 5 | MCQ | GA | B | 1 |
| 6 | MCQ | GA | A | 2 |
| 7 | MCQ | GA | D | 2 |
| 8 | MCQ | GA | D | 2 |
| 9 | MCQ | GA | B | 2 |
| 10 | MCQ | GA | C | 2 |
| 1 | MCQ | XE-A | D | 1 |
| 2 | MCQ | XE-A | A | 1 |
| 3 | NAT | XE-A | 0.01 to 0.01 | 1 |
| 4 | NAT | XE-A | 5 to 5 | 1 |
| 5 | NAT | XE-A | 0.29 to 0.32 | 1 |
| 6 | NAT | XE-A | 250 to 250 | 1 |
| 7 | NAT | XE-A | 108 to 108 | 1 |
| 8 | MCQ | XE-A | B | 2 |
| 9 | MCQ | XE-A | C | 2 |
| 10 | NAT | XE-A | 3 to 3 | 2 |
| 11 | NAT | XE-A | 0.04 to 0.04 | 2 |
| 1 | MCQ | XE-B | B | 1 |
| 2 | MCQ | XE-B | A | 1 |

| Q.No. | Type | Section | Key/Range | Marks |
|-------|------|---------|------------------|-------|
| 3 | MCQ | XE-B | D | 1 |
| 4 | MCQ | XE-B | A | 1 |
| 5 | MCQ | XE-B | C | 1 |
| 6 | MCQ | XE-B | B | 1 |
| 7 | MCQ | XE-B | A | 1 |
| 8 | NAT | XE-B | 4 to 4 | 1 |
| 9 | NAT | XE-B | 39 to 42 | 1 |
| 10 | MCQ | XE-B | B | 2 |
| 11 | MCQ | XE-B | C | 2 |
| 12 | MCQ | XE-B | C | 2 |
| 13 | MCQ | XE-B | A | 2 |
| 14 | NAT | XE-B | 900 to 990 | 2 |
| 15 | NAT | XE-B | 40 to 42 | 2 |
| 16 | NAT | XE-B | 2.9 to 3.1 | 2 |
| 17 | NAT | XE-B | 107 to 127 | 2 |
| 18 | NAT | XE-B | 440000 to 442000 | 2 |
| 19 | NAT | XE-B | 0.001 to 0.002 | 2 |
| 20 | NAT | XE-B | 30 to 45 | 2 |
| 21 | NAT | XE-B | 4800 to 4800 | 2 |
| 22 | NAT | XE-B | 1200 to 1350 | 2 |
| 1 | MCQ | XE-C | C | 1 |
| 2 | MCQ | XE-C | A | 1 |
| 3 | MCQ | XE-C | B | 1 |

| Q.No. | Type | Section | Key/Range | Marks |
|-------|------|---------|----------------|-------|
| 4 | MCQ | XE-C | C | 1 |
| 5 | MCQ | XE-C | A | 1 |
| 6 | MCQ | XE-C | D | 1 |
| 7 | MCQ | XE-C | C | 1 |
| 8 | NAT | XE-C | 2 to 2 | 1 |
| 9 | NAT | XE-C | 6 to 6 | 1 |
| 10 | MCQ | XE-C | B | 2 |
| 11 | MCQ | XE-C | A | 2 |
| 12 | MCQ | XE-C | B | 2 |
| 13 | NAT | XE-C | 430 to 500 | 2 |
| 14 | NAT | XE-C | 124 to 124 | 2 |
| 15 | NAT | XE-C | 2.60 to 2.70 | 2 |
| 16 | NAT | XE-C | 59.00 to 60.00 | 2 |
| 17 | NAT | XE-C | 1.85 to 2.00 | 2 |
| 18 | NAT | XE-C | 132 to 132 | 2 |
| 19 | NAT | XE-C | 5.01 to 5.17 | 2 |
| 20 | NAT | XE-C | 5 to 5 | 2 |
| 21 | NAT | XE-C | 15.5 to 18.5 | 2 |
| 22 | NAT | XE-C | 1420 to 1480 | 2 |
| 1 | MCQ | XE-D | D | 1 |
| 2 | MCQ | XE-D | A | 1 |
| 3 | MCQ | XE-D | D | 1 |
| 4 | MCQ | XE-D | B | 1 |

| Q.No. | Type | Section | Key/Range | Marks |
|-------|------|---------|------------------|-------|
| 5 | MCQ | XE-D | B | 1 |
| 6 | NAT | XE-D | 52.50 to 53.50 | 1 |
| 7 | NAT | XE-D | 27.00 to 28.00 | 1 |
| 8 | NAT | XE-D | 80 to 80 | 1 |
| 9 | NAT | XE-D | 220.00 to 222.00 | 1 |
| 10 | MCQ | XE-D | B | 2 |
| 11 | MCQ | XE-D | B | 2 |
| 12 | MCQ | XE-D | D | 2 |
| 13 | MCQ | XE-D | C | 2 |
| 14 | MCQ | XE-D | C | 2 |
| 15 | MCQ | XE-D | A | 2 |
| 16 | MCQ | XE-D | D | 2 |
| 17 | NAT | XE-D | 195.00 to 197.00 | 2 |
| 18 | NAT | XE-D | 0.01 to 0.02 | 2 |
| 19 | NAT | XE-D | 14.5 to 15.5 | 2 |
| 20 | NAT | XE-D | 26.00 to 27.00 | 2 |
| 21 | NAT | XE-D | 3.10 to 3.20 | 2 |
| 22 | NAT | XE-D | 13.5 to 14.5 | 2 |
| 1 | MCQ | XE-E | B | 1 |
| 2 | MCQ | XE-E | A | 1 |
| 3 | MCQ | XE-E | C | 1 |
| 4 | MCQ | XE-E | A | 1 |
| 5 | MCQ | XE-E | C | 1 |

| Q.No. | Type | Section | Key/Range | Marks |
|-------|------|---------|--------------------|-------|
| 6 | MCQ | XE-E | D | 1 |
| 7 | NAT | XE-E | 160.0 to 161.0 | 1 |
| 8 | NAT | XE-E | 14.5 to 15.0 | 1 |
| 9 | NAT | XE-E | 0.30 to 0.32 | 1 |
| 10 | MCQ | XE-E | C | 2 |
| 11 | MCQ | XE-E | C | 2 |
| 12 | MCQ | XE-E | D | 2 |
| 13 | MCQ | XE-E | B | 2 |
| 14 | MCQ | XE-E | A | 2 |
| 15 | MCQ | XE-E | D | 2 |
| 16 | NAT | XE-E | 332.5 to 336.5 | 2 |
| 17 | NAT | XE-E | 3.01 to 3.07 | 2 |
| 18 | NAT | XE-E | 838.0 to 844.0 | 2 |
| 19 | NAT | XE-E | 961.0 to 962.0 | 2 |
| 20 | NAT | XE-E | 5.7 to 6.1 | 2 |
| 21 | NAT | XE-E | 12950.0 to 13000.0 | 2 |
| 22 | NAT | XE-E | 513.0 to 517.0 | 2 |
| 1 | MCQ | XE-F | C | 1 |
| 2 | MCQ | XE-F | A | 1 |
| 3 | MCQ | XE-F | D | 1 |
| 4 | MCQ | XE-F | B | 1 |
| 5 | MCQ | XE-F | D | 1 |
| 6 | MCQ | XE-F | B | 1 |

| Q.No. | Type | Section | Key/Range | Marks |
|-------|------|---------|--------------------|-------|
| 7 | MCQ | XE-F | A | 1 |
| 8 | NAT | XE-F | 1500.00 to 1500.00 | 1 |
| 9 | NAT | XE-F | 48.52 to 48.72 | 1 |
| 10 | MCQ | XE-F | D | 2 |
| 11 | MCQ | XE-F | A | 2 |
| 12 | MCQ | XE-F | B | 2 |
| 13 | MCQ | XE-F | D | 2 |
| 14 | MCQ | XE-F | B | 2 |
| 15 | MCQ | XE-F | D | 2 |
| 16 | MCQ | XE-F | C | 2 |
| 17 | MCQ | XE-F | C | 2 |
| 18 | NAT | XE-F | -25.00 to -24.50 | 2 |
| 19 | NAT | XE-F | 98.80 to 99.10 | 2 |
| 20 | NAT | XE-F | 0.90 to 0.93 | 2 |
| 21 | NAT | XE-F | 17.91 to 18.00 | 2 |
| 22 | NAT | XE-F | 2600 to 2600 | 2 |
| 1 | MCQ | XE-G | B | 1 |
| 2 | MCQ | XE-G | A | 1 |
| 3 | MCQ | XE-G | C | 1 |
| 4 | MCQ | XE-G | D | 1 |
| 5 | MCQ | XE-G | D | 1 |
| 6 | NAT | XE-G | 1.55 to 1.65 | 1 |
| 7 | NAT | XE-G | 103.0 to 103.2 | 1 |

| Q.No. | Type | Section | Key/Range | Marks |
|-------|------|---------|--------------|-------|
| 8 | NAT | XE-G | 54 to 56 | 1 |
| 9 | NAT | XE-G | 0 to 0 | 1 |
| 10 | MCQ | XE-G | B | 2 |
| 11 | MCQ | XE-G | C | 2 |
| 12 | MCQ | XE-G | C | 2 |
| 13 | MCQ | XE-G | A | 2 |
| 14 | MCQ | XE-G | D | 2 |
| 15 | MCQ | XE-G | A | 2 |
| 16 | MCQ | XE-G | C | 2 |
| 17 | MCQ | XE-G | B | 2 |
| 18 | NAT | XE-G | 9.8 to 10.2 | 2 |
| 19 | NAT | XE-G | 1.1 to 1.8 | 2 |
| 20 | NAT | XE-G | 14.5 to 15.5 | 2 |
| 21 | NAT | XE-G | 6.0 to 6.4 | 2 |
| 22 | NAT | XE-G | 10 to 10 | 2 |
| 1 | MCQ | XE-H | B | 1 |
| 2 | MCQ | XE-H | C | 1 |
| 3 | MCQ | XE-H | A | 1 |
| 4 | MCQ | XE-H | B | 1 |
| 5 | MCQ | XE-H | B | 1 |
| 6 | MCQ | XE-H | C | 1 |
| 7 | MCQ | XE-H | D | 1 |
| 8 | MCQ | XE-H | D | 1 |

| Q.No. | Type | Section | Key/Range | Marks |
|-------|------|---------|----------------|-------|
| 9 | MCQ | XE-H | B | 1 |
| 10 | MCQ | XE-H | A | 2 |
| 11 | MCQ | XE-H | B | 2 |
| 12 | MCQ | XE-H | A | 2 |
| 13 | MCQ | XE-H | B | 2 |
| 14 | NAT | XE-H | 1254 to 1256 | 2 |
| 15 | NAT | XE-H | 19.42 to 19.44 | 2 |
| 16 | NAT | XE-H | 734.8 to 735.0 | 2 |
| 17 | NAT | XE-H | 9.16 to 9.18 | 2 |
| 18 | NAT | XE-H | 12.8 to 13.2 | 2 |
| 19 | NAT | XE-H | 92.4 to 92.8 | 2 |
| 20 | NAT | XE-H | 1.3 to 1.4 | 2 |
| 21 | NAT | XE-H | 0.11 to 0.12 | 2 |
| 22 | NAT | XE-H | 9.99 to 10.01 | 2 |